




42cm Pro 2 DTF + Powder Shaker

- Reduced foot print
- 2 x Epson I1600 print heads
- 42cm wide print area
- Industry Standard Components
- UK based support

UK Based Tech Support and Stock



5 Star Rating - 20 Years Experience

Our team of highly trained large format engineers each have years of experience across a wide range of print equipment.

We've worked with our technology partner to develop the 1ClickPrint range of DTF printers specifically for the UK market. The 1ClickPrint range of printers has been put through a gruelling testing phase in our UK factory to ensure they achieve our reliability standards.

Our tech support engineers each spend countless hours running our printers so that they can anticipate and help with any problem you may encounter.

UK Stock

Great value is no use if you have to wait a week for stock. We carry all consumables in stock in our South Yorkshire warehouse with next day, pre 12, pre 10:30 and collection available

| TECHNICAL SPECIFICATIONS | |
|--------------------------|--|
| Product | 1CLICKPRINT PET FILM PRINTER(DTF) |
| Printhead | EPSON i1600 (Upgradable to EPSON i3200) |
| Model | 42cm Pro 2 |
| Printing Speed | Output(sqm/h) |
| 4PASS | EPSON i1600 - 6 sqm/h -- EPSON i3200 - 12 sqm/h |
| 6PASS | EPSON i1600 - 5 sqm/h -- EPSON i3200 - 9 sqm/h |
| 8PASS | N/A |
| Print Width | 420mm |
| Ink Type | Waterbased Pigment Ink |
| Color | 5 colors(K, C, M, Y, White) |
| Ink Supply System | Auto Cleaning Capping System |
| White Ink Cycle | Equipped |
| Media Type | PET Film |
| Media Thickness | 1mm |
| Heating System | Intelligent Embedded Heating System Powder Melt Machine |
| Media Feeding System | Equipped |
| Take Up System | Equipped |
| Capping & Moisturising | Auto Capping System & Moisturising System |
| Print Interface | CAT6 Lan Cable |
| RIP Software | Maintop, CadLink Digital Factory Optional |
| Input Power | AC220V,50Hz/60Hz 350W-3400W |
| Machine Dimensions | 1700*1040*1320mm, 90kg, 0.917cbm |
| | |